

haoyi
bicycle
catalogue

豪億車業
2017
-
2018

寧波豪偉車業有限公司（慈溪市銀星車料廠）創建於九十年代，是自行車剎車器，及各類附件的專業製造商。公司憑借先進的管理手段嚴格實施、執行ISO9000質量管理體系標準，產品通過歐盟EN14766和EN14764認證。公司以「造型美觀、性能優良可靠、價格合理、誠信服務」的宗旨深受廣大中外客商的一致好評，是國內外各大整車廠的配套供應商。公司擁有企業自主出口經營權，產品主要銷往歐洲、中東、東南亞、南美等十幾個國家和地區。公司以高質量、低價格的經營方針，以互利互惠的經營原則，不斷地完善自我和提升自我。為了滿足市場和客戶需求，擴展了輕合金領域，大力開發、製造輕合金新品。為自行車行業提供最優良的自行車零部件是我們豪偉人最終追求的目標。公司總經理徐柏銀誠邀國內外廣大客商前來洽談、指導。

Ningbo Haoyi Bicycles Co., Ltd. was founded in 1990s, Subordinating to both Cixi Yinxing Bicycles Parts Factory. They are professional manufacturers of bicycle brakes and various parts. With advanced management measures and ISO 9000 quality management system, and products are all in standard of EN14764&EN14766. YINXIN brand is well received by both domestic and abroad customers for its beautiful shape, perfect and reliable performance, reasonable price and best service. The company is an important contractor of most leading bicycles OEMs. The company is authorized to export the products from the company directly. The products sell well in more than ten countries and regions in Europe, Middle East, Southeast Asia and South America. The company adheres to the operation policy of "high quality but low price" for a mutual benefit and the company uninterruptedly keeps improvement and upgrading. At present, the company extends to light alloy field and makes new light alloy products to meet market and customer demand. It is always our purpose to provide the bicycle industry with the best parts. Mr. Xu Boyin, General Manager of Ningbo Haoyi Bicycles sincerely invites customers from different countries for business negotiation and cooperation.




indeX

- 05 碟刹/刹把 DISC BRAKE LEVER
- 12 全鋁刹把ALLOY V-BRAKE
- 21 半鋁刹把HALF-ALLOY V-BRAKE
- 26 包塑刹把PLASTIC BRAKE LEVER
- 32 童車刹把FOR CHILDREN BRAKE LEVER
- 35 全鋁V型閘ALLOY V-BRAKE
- 41 鐵制V型閘STEEL V-BRAKE
- 44 包塑V型閘PLASTIC V-BRAKE
- 48 鉗型閘/U型閘CALIPER BRAKE U-BRAKE
- 52 抱閘BAND BRAKE
- 53 其它配件 OTHERS

disc
brake lever

碟刹
刹把





2
FINGER

HD-420

Brake lever
Cast aluminum bracket
2 finger design
Caliper
Compact 2-PCS design caliper
Dual piston
Forged aluminum alloy caliper body
Compatible with DEORE pad(P08)
Fluid: Non-Corrosive mineral oil
Disc rotor:YRT-03
Standard rotor size :ø160mm(Front ,Rear)
Compatible with Post-Mount /IS
Weight: 360g/345g (Caliper/Hose/Brake lever)



3
FINGER

HD-M400

Brake lever
Cast aluminum bracket
3 finger design
Caliper
Compact 2-PCS design caliper
Dual piston
Forged aluminum alloy caliper body
Compatible with DEORE pad(P08)
Fluid: Non-Corrosive mineral oil
Disc rotor:YRT-03
Standard rotor size :ø160mm(Front ,Rear)
Compatible with Post-Mount /IS
Weight: 365g/350g (Caliper/Hose/Brake lever)



YX-DB01F

Melt forged aluminum mechanical disc brake
Aluminum alloy caliper
Adaptor for F160/R140mm
W/return spring & metallic compound pads
Easy installation and low maintenance
Weight 182g/wheel
压铸铝合金机械式碟刹，转接座
适用于 F160/R140mm
标准自动回位弹簧，易安装维护
重量：182g/wheel



YX-DB01R

Melt forged aluminum mechanical disc brake
Aluminum alloy caliper
Adaptor for F180/R160mm
W/return spring & metallic compound pads
Easy installation and low maintenance
Weight 183g/wheel
压铸铝合金机械式碟刹，转接座
适用于 F180/R160mm
标准自动回位弹簧，易安装维护
重量：183g/wheel



2
FINGER

HD-M220


Brake lever
Cast aluminum bracket
2 finger design
Caliper
Compact 2-PCS design caliper
Dual piston
Forged aluminum alloy caliper body
Compatible with DEORE pad(P08)
Fluid: Non-Corrosive mineral oil
Disc rotor:YRT-05
Standard rotor size :ø160mm(Front ,Rear)
Compatible with Post-Mount /IS
Weight: 355g/340g (Caliper/Hose/Brake lever)



3
FINGER

HD-M200

Brake lever
Cast aluminum bracket
3 finger design
Caliper
Compact 2-PCS design caliper
Dual piston
Forged aluminum alloy caliper body
Compatible with DEORE pad(P08)
Fluid: Non-Corrosive mineral oil
Disc rotor:YRT-05
Standard rotor size :ø160mm(Front ,Rear)
Compatible with Post-Mount /IS
Weight: 360g/345g (Caliper/Hose/Brake lever)



YX-DB02F

Melt forged aluminum mechanical disc brake
Aluminum alloy caliper
Adaptor for F160/R140mm
W/return spring & metallic compound pads
Easy installation and low maintenance
Weight 209g/wheel
压铸铝合金机械式碟刹，转接座
适用于 F160/R140mm
标准自动回位弹簧，易安装维护
重量：209g/wheel



YX-DB02R

Melt forged aluminum mechanical disc brake
Aluminum alloy caliper
Adaptor for F180/R160mm
W/return spring & metallic compound pads
Easy installation and low maintenance
Weight 212g/wheel
压铸铝合金机械式碟刹，转接座
适用于 F180/R160mm
标准自动回位弹簧，易安装维护
重量：212g/wheel



YX-DB03F

Melt forged aluminum mechanical disc brake
Aluminum alloy caliper
Adaptor for F160/R140mm
W/return spring & metallic compound pads
Easy installation and low maintenance
Weight 213g/wheel
压铸铝合金机械式碟刹，转接座适用于 F160/R140mm
标准自动回位弹簧，易安装维护
重量：213g/wheel


浮动式内调
Inner Floating Adjusted



YX-DB03R

Melt forged aluminum mechanical disc brake
Aluminum alloy caliper
Adaptor for F180/R160mm
W/return spring & metallic compound pads
Easy installation and low maintenance
Weight 254g/wheel
压铸铝合金机械式碟刹，转接座适用于 F180/R160mm
标准自动回位弹簧，易安装维护
重量：254g/wheel

浮动式内调
Inner Floating Adjusted



YRT-01

Popular wave
Stiffness,high heated finish
Thickness:2.0mm
Diameter:140mm,160mm,180mm,203mm
Weight:150grams



YRT-02

Light wave
Stiffness,high heated finish
Thickness:2.0mm
Diameter:160mm
Weight:120grams



YRT-03

Hot escape
Stiffness,high heated finish
Thickness:2.0mm
Diameter:160mm
Weight:120grams



YX-DB06F

Melt forged aluminum mechanical disc brake
Aluminum alloy caliper
Adaptor for F160/R140mm
W/return spring & metallic compound pads
Easy installation and low maintenance
Weight 265g/wheel
压铸铝合金机械式碟刹，转接座适用于 F160/R140mm
标准自动回位弹簧，易安装维护
重量：265g/wheel



YX-DB06R

Melt forged aluminum mechanical disc brake
Aluminum alloy caliper
Adaptor for F180/R160mm
W/return spring & metallic compound pads
Easy installation and low maintenance
Weight 260g/wheel
压铸铝合金机械式碟刹，转接座适用于 F180/R160mm
标准自动回位弹簧，易安装维护
重量：260g/wheel



YRT-04

Smart wave
Stiffness,high heated finish
Thickness:2.0mm
Diameter:140,160,180,203mm
Weight:120grams



YRT-05

Popular wave
Stiffness,high heated finish
Thickness:2.0mm
Diameter:140,160,180,203mm
Weight:150grams



YRT-06

Popular wave
Stiffness,high heated finish
Thickness:2.0mm
Diameter:140,160,180,203mm
Weight:150grams

DISC BRAKE LEVER
机械碟刹/刹把

HUB FOR DISC BRAKE
机械碟刹花鼓



YX-B809

Die-casted alloy bracket and Lever for Disc-brake, or v Brake
2-3 finger compatible with thumb shifter
Packing: 100PRS/CTN 21/22kgs
Meas: 44 x 30 x 26 cm
铝合金压铸碟刹及握把可配V刹与碟刹夹器
指幅类型: 2-3相容thumb
包装: 100套/箱
毛重: 22千克 净重: 21千克
材积: 44 x 30 x 26 cm



YX-B808

Die-casted alloy bracket and Lever Disc-brake, or v Brake
2-3 finger compatible with thumb shifter
Packing: 100PRS/CTN 19/20kgs
Meas: 44 x 30 x 26 cm
铝合金压铸碟刹及握把可配V刹与碟刹夹器
指幅类型: 2-3相容thumb
包装: 100套/箱
毛重: 18.6千克 净重: 17.6千克
材积: 44 x 30 x 26 cm



YX-B808C



YX-B810

Die-casted alloy bracket and Lever Disc-brake, or v Brake
2-3 finger compatible with thumb shifter
Packing: 100PRS/CTN 19/20kgs
Meas: 44 x 30 x 26 cm
铝合金压铸碟刹及握把可配V刹与碟刹夹器
指幅类型: 2-3相容thumb
包装: 100套/箱
毛重: 18.6千克 净重: 17.6千克
材积: 44 x 30 x 26 cm



YX-B810C



YX-HB01

ALLOY HUBS
3/8 x 14G x 36H x 100 x 108
3/8 x 14G x 36H x 135 x 145



YX-HB02

ALLOY HUBS
3/8 x 14G x 36H x 100 x 108
3/8 x 14G x 36H x 135 x 145

Pads for Disc Brake 机械碟刹刹片



P01

P02

P03

P04

P05

P06

P07

P08

P09

P10




YX-HB03

STEEL HUBS
3/8 x 14G x 36H x 100 x 140
3/8 x 14G x 36H x 100 x 175



YX-HB03

STEEL HUBS
3/8 x 14G x 36H x 100 x 140
3/8 x 14G x 36H x 100 x 175



alloy
V-brake

全铝刹把

ALLOY V-BRAKE
全铝刹把



YX-B101

4 finger alloy lever & bracket Return spring
Packing: 50PRS/CTN
G.W./N.W.: 12/11kgs
Meas: 45 x 30 x 20 cm
4指式铝合金闸把、座架回位弹簧
包装: 50副/箱
毛重: 12千克 净重: 11千克
材积: 45 x 30 x 20 cm



YX-B102

4 finger alloy lever & bracket Return spring
Packing: 50PRS/CTN
G.W./N.W.: 12/11kgs
Meas: 45 x 30 x 20 cm
4指式铝合金闸把、座架回位弹簧
包装: 50副/箱
毛重: 12千克 净重: 11千克
材积: 45 x 30 x 20 cm



YX-B103

4 finger alloy lever & bracket Return spring
Packing: 50PRS/CTN
G.W./N.W.: 12/11kgs
Meas: 45 x 30 x 20 cm
4指式铝合金闸把、座架回位弹簧
包装: 50副/箱
毛重: 12千克 净重: 11千克
材积: 45 x 30 x 20 cm



YX-B117

4 finger alloy lever & bracket Return spring
Packing: 50PRS/CTN
G.W./N.W.: 12/11kgs
Meas: 45 x 30 x 20 cm
4指式铝合金闸把、座架回位弹簧
包装: 50副/箱
毛重: 12千克 净重: 11千克
材积: 45 x 30 x 20 cm



YX-B605A

3-4 finger alloy lever & bracket Return spring
Packing: 100PRS/CTN
G.W./N.W.: 19/18kgs
Meas: 46 x 32 x 26 cm
3-4指式铝合金闸把、座架回位弹簧
包装: 100副/箱
毛重: 19千克 净重: 18千克
材积: 46 x 32 x 26 cm



YX-B604

Melt forged alloy lever for racing bike
Packing: 100PRS/CTN 18/17kgs
Meas: 36 x 26 x 23 cm
压铸铝合金、公路赛车专用副闸把、
可配防护套
包装: 100套/箱
毛重: 18千克 净重: 17千克
材积: 36 x 26 x 23 cm

